

Setting up web analytics

For the time being, we recommend using google web analytics. Once piwik.cern.ch becomes operational, we will move to that one.

To configure google web analytics, follow these steps:

1. Get an unique ID. If you have access to the cern.dashboard@gmail account, you can do that yourself. Otherwise, ask the dashboard.support and you will get the ID

2. Include the following code in all your pages:

```
<script xmlns="" type="text/javascript">
  var _gaq = _gaq || [];
  _gaq.push(['_setAccount', '<PUT YOUR ID HERE>']);
  _gaq.push(['_trackPageview']);
  _gaq.push(['_trackPageLoadTime']);

  (function() {
    var ga = document.createElement('script'); ga.type = 'text/javascript'; ga.async = true;
    ga.src = ('https:' == document.location.protocol ? 'https://ssl' : 'http://www') + '.google-a
    var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(ga, s);
  })();
</script>
```

Note that you have to change **PUT YOUR ID HERE** by the ID created in step one. Note also that the line '`_gaq.push(['_trackPageLoadTime']);`' (which is not in the default instructions from google analytics). With this line, you will monitor also the time taken to load the pages.

And that's it! You will have to wait for some time (maybe even a couple of days!) until the statistics start appearing

-- PabloSaiz - 25-Oct-2011

This topic: ArdaGrid > WebAnalytics

Topic revision: r1 - 2011-10-25 - PabloSaiz



Copyright &© 2008-2022 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

or Ideas, requests, problems regarding TWiki? use Discourse or Send feedback