

The canl-java-tomcat allows the use of CANL for tomcat authentication.

Sources: <https://github.com/jhahkala/canl-java-tomcat.git>

This is a separate package to separate the tomcat dependency etc.

The package installs the jar into /usr/share/java, including the unversioned symbolic link. It also links itself and the necessary libraries (bcprov, canl-java) to the tomcat directory, so that the tomcat can find them. To use, only the configuration of the server.xml file of the tomcat needs to be done. See USAGE file in the documentation directory of the installed package or in the sources.

Notes

SL5 tomcat doesn't seem to work with fresh install, the required xml-commons-apis are not installed and the jakarta-commons-modeler-1.1.jar seems to have invalid index when using the openjdk 1.6.0, which throws several exceptions.

Have to run

```
jar -i jakarta-commons-modeler-1.1.jar
```

in the /usr/share/java directory as root to fix the index in the jar, then it works.

Also, have to run

```
yum install xml-commons-apis
```

to install the required jar.

-- JoniHahkala - 24-Sep-2012

This topic: EMI > CANLTomcatPlugin

Topic revision: r4 - 2012-11-16 - JoniHahkala



Copyright &© 2008-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors. Ideas, requests, problems regarding TWiki? Send feedback