

Table of Contents

EMI 2 (Matterhorn) - Update 21 (21.12.2013) - v. 2.10.5-1	1
dCache server, v. 2.2.21 and dCache srmclient, v. 2.2.22.....	1
Affected services.....	1
What's new:.....	1
Installation & Configuration.....	1
Artifacts.....	1
GridSite, v. 1.7.29.....	2
Affected Services.....	2
What's new:.....	2
Installation & Configuration.....	2
Known issues:.....	2
List of RFCs.....	2
Artifacts.....	2
L&B, v. 3.2.12.....	3
Affected Services.....	3
What's new:.....	3
Installation & Configuration:.....	3
Artifacts.....	4

EMI 2 (Matterhorn) - Update 21 (21.12.2013) - v. 2.10.5-1

The Update contains:

- revision release of dCache server, v. 2.2.21 and dCache srmclient, v. 2.2.22, GridSite, v. 1.7.29 and gLite L&B, v. 3.2.12

dCache server, v. 2.2.21 and dCache srmclient, v. 2.2.22

Affected services

- affected service: dCache server, UI ,WN

What's new:

- dCache server, v. 2.2.21
 - ◆ The upgrade from jGlobus 1.8 to 2.0 introduced a performance regression: the last-modified time of CA-related files are checked for each request, which, when these files are stored on a shared filesystem, introduces unacceptable latency. This release uses an updated jGlobus that throttles how often it checks the last-modified attribute of files.
 - ◆ The rebalancer command accepts options to modify its behaviour. The online help has been updated to better describe these options.
 - ◆ For more details see sCache server 2.2.21 - Extended Release Notes [↗](#)
- dCache srmclient, v. 2.2.22
 - ◆ The SRM Client 2.2.22 follows the FHS compliant directory layout.
 - ◆ Changes:
 - ◇ Migration to jglobus2.0: SRM client now supports secure hash algorithm SHA-2 and therefore SHA-2 signed certificates. jGlobus2.0 also supports SHA-1 signed certificates. Please be aware that VOs are encouraged not to issue SHA-1 certificates any longer. Migrating to this version of SRM Client is therefore recommended.
 - ◇ Switch to jglobus with jumbo proxies support. There was a problem with growing proxies which would at some point cause problems with SRM. This fix solves the jumbo proxy issue.
 - ◆ For more details see dCache srmclient 2.2.22 - Extended Release Notes [↗](#)

Installation & Configuration

- Please carefully read the * dCache Upgrade Instructions [↗](#).
- for the dCache srmclient an "yum update" should update to the latest version

Artifacts

SL5
Binaries
dcache-2.2.21-1.noarch.rpm ↗
dcache-srmclient-2.2.22-1.noarch.rpm ↗
SL6
Binaries
dcache-2.2.21-1.noarch.rpm ↗
dcache-srmclient-2.2.22-1.noarch.rpm ↗

Deb6 Binaries
dcache_2.2.21-1_all.deb

GridSite, v. 1.7.29

Affected Services

- affected services: CREAM, DPM, FTS, L&B, WMS, UI, WN

What's new:

- This is a hotfix for GridSite, changing the default length of keys in proxies from 512 to 1024 bits.
- For more details see [Extended Release Notes](#)

Installation & Configuration

- To deploy, update your installation and restart the Web-server.

Known issues:

- When upgrading from the EMI repository on Debian, `mod_gridsite` is not correctly replaced. Uninstall the old module first and install the new one to work around the issue.

List of RFCs

- <https://github.com/CESNET/gridsite/issues/9>

Artifacts

SL5
x86_64 Binaries
gridsite-1.7.29-1.el5.x86_64.rpm
gridsite-commands-1.7.29-1.el5.x86_64.rpm
gridsite-debuginfo-1.7.29-1.el5.x86_64.rpm
gridsite-devel-1.7.29-1.el5.x86_64.rpm
gridsite-gsexec-1.7.29-1.el5.x86_64.rpm
gridsite-libs-1.7.29-1.el5.x86_64.rpm
gridsite-service-clients-1.7.29-1.el5.x86_64.rpm
gridsite-slashgrid-1.7.29-1.el5.x86_64.rpm
i386 Binaries
gridsite-1.7.29-1.el5.i386.rpm
gridsite-commands-1.7.29-1.el5.i386.rpm
gridsite-debuginfo-1.7.29-1.el5.i386.rpm
gridsite-devel-1.7.29-1.el5.i386.rpm
gridsite-gsexec-1.7.29-1.el5.i386.rpm
gridsite-libs-1.7.29-1.el5.i386.rpm
gridsite-service-clients-1.7.29-1.el5.i386.rpm
gridsite-slashgrid-1.7.29-1.el5.i386.rpm
Source RPM
gridsite-1.7.29-1.el5.src.rpm

SL6
x86_64 Binaries
gridsite-1.7.29-1.el6.x86_64.rpm
gridsite-commands-1.7.29-1.el6.x86_64.rpm
gridsite-debuginfo-1.7.29-1.el6.x86_64.rpm
gridsite-devel-1.7.29-1.el6.x86_64.rpm
gridsite-gsexec-1.7.29-1.el6.x86_64.rpm
gridsite-libs-1.7.29-1.el6.x86_64.rpm
gridsite-service-clients-1.7.29-1.el6.x86_64.rpm
gridsite-slashgrid-1.7.29-1.el6.x86_64.rpm
i386 Binaries
gridsite-1.7.29-1.el6.i686.rpm
gridsite-commands-1.7.29-1.el6.i686.rpm
gridsite-debuginfo-1.7.29-1.el6.i686.rpm
gridsite-devel-1.7.29-1.el6.i686.rpm
gridsite-gsexec-1.7.29-1.el6.i686.rpm
gridsite-libs-1.7.29-1.el6.i686.rpm
gridsite-service-clients-1.7.29-1.el6.i686.rpm
gridsite-slashgrid-1.7.29-1.el6.i686.rpm
Source RPM
gridsite-1.7.29-1.el6.src.rpm
Deb6 Binaries
gridsite-commands_1.7.29-1_amd64.deb
gridsite-gsexec_1.7.29-1_amd64.deb
gridsite-service-clients_1.7.29-1_amd64.deb
gridsite-slashgrid_1.7.29-1_amd64.deb
gridsite_1.7.29-1_amd64.deb
libgridsite-dev_1.7.29-1_amd64.deb
libgridsite1.7_1.7.29-1_amd64.deb
Deb6 Source
gridsite_1.7.29-1.debian.tar.gz
gridsite_1.7.29-1.dsc
gridsite_1.7.29.orig.tar.gz

L&B, v. 3.2.12

Affected Services

- affected services: L&B, WMS, UI, WN

What's new:

- This maintenance release of L&B provides fixes for several rare memory handling issues, fixes the handling of MySQL configuration file by L&B Server's set-up script, and improves the reliability of the Site Notification Keeper.

Installation & Configuration:

- The emi-lb metapackage is installed by yum.

- Configuration requires, at the very least, setting MYSQL_PASSWORD, SITE_NAME and SITE_EMAIL in the site-info.def file.
- Reconfiguration is required. Reconfiguration by YAIM will restart the service automatically. On Debian, use the glite-lb-setup command.
- Upgrading from previous versions of L&B involves a database schema change. A DB migration script is available. In typical scenarios it will be initiated automatically during reconfiguration. Follow documentation in case it needs to be started manually.
- For more details & Known Issues please read the Extended Release Notes [↗](#)

Artifacts

SL5
x86_64 Binaries
glite-jobid-api-c-2.1.3-1.el5.x86_64.rpm ↗
glite-jobid-api-c-debuginfo-2.1.3-1.el5.x86_64.rpm ↗
glite-jobid-api-c-devel-2.1.3-1.el5.x86_64.rpm ↗
glite-jobid-api-cpp-debuginfo-1.2.1-1.el5.x86_64.rpm ↗
glite-jobid-api-cpp-devel-1.2.1-1.el5.x86_64.rpm ↗
glite-jobid-api-java-1.2.1-1.el5.noarch.rpm ↗
glite-lb-client-5.1.9-1.el5.x86_64.rpm ↗
glite-lb-client-debuginfo-5.1.9-1.el5.x86_64.rpm ↗
glite-lb-client-devel-5.1.9-1.el5.x86_64.rpm ↗
glite-lb-client-java-1.2.5-1.el5.x86_64.rpm ↗
glite-lb-client-java-debuginfo-1.2.5-1.el5.x86_64.rpm ↗
glite-lb-client-progs-5.1.9-1.el5.x86_64.rpm ↗
glite-lb-common-8.1.7-1.el5.x86_64.rpm ↗
glite-lb-common-debuginfo-8.1.7-1.el5.x86_64.rpm ↗
glite-lb-common-devel-8.1.7-1.el5.x86_64.rpm ↗
glite-lb-doc-1.3.8-1.el5.noarch.rpm ↗
glite-lb-harvester-1.2.6-1.el5.x86_64.rpm ↗
glite-lb-harvester-debuginfo-1.2.6-1.el5.x86_64.rpm ↗
glite-lb-logger-2.3.9-1.el5.x86_64.rpm ↗
glite-lb-logger-debuginfo-2.3.9-1.el5.x86_64.rpm ↗
glite-lb-logger-devel-2.3.9-1.el5.x86_64.rpm ↗
glite-lb-logger-msg-1.1.7-1.el5.x86_64.rpm ↗
glite-lb-logger-msg-debuginfo-1.1.7-1.el5.x86_64.rpm ↗
glite-lb-server-2.3.11-1.el5.x86_64.rpm ↗
glite-lb-server-debuginfo-2.3.11-1.el5.x86_64.rpm ↗
glite-lb-state-machine-1.3.7-1.el5.x86_64.rpm ↗
glite-lb-state-machine-debuginfo-1.3.7-1.el5.x86_64.rpm ↗
glite-lb-state-machine-devel-1.3.7-1.el5.x86_64.rpm ↗
glite-lb-types-1.3.3-1.el5.noarch.rpm ↗
glite-lb-utils-2.2.5-1.el5.x86_64.rpm ↗
glite-lb-utils-debuginfo-2.2.5-1.el5.x86_64.rpm ↗
glite-lb-ws-interface-3.3.3-1.el5.noarch.rpm ↗
glite-lb-ws-test-1.3.4-1.el5.x86_64.rpm ↗
glite-lb-ws-test-debuginfo-1.3.4-1.el5.x86_64.rpm ↗
glite-lb-yaim-4.4.7-1.el5.noarch.rpm ↗
glite-lbjp-common-db-3.1.5-1.el5.x86_64.rpm ↗
glite-lbjp-common-db-debuginfo-3.1.5-1.el5.x86_64.rpm ↗
glite-lbjp-common-gsoap-plugin-devel-3.1.5-1.el5.x86_64.rpm ↗

glite-lbjp-common-gss-3.1.9-1.el5.x86_64.rpm
glite-lbjp-common-gss-debuginfo-3.1.9-1.el5.x86_64.rpm
glite-lbjp-common-gss-devel-3.1.9-1.el5.x86_64.rpm
glite-lbjp-common-jp-interface-2.2.3-1.el5.x86_64.rpm
glite-lbjp-common-jp-interface-debuginfo-2.2.3-1.el5.x86_64.rpm
glite-lbjp-common-jp-interface-devel-2.2.3-1.el5.x86_64.rpm
glite-lbjp-common-log-1.2.3-1.el5.x86_64.rpm
glite-lbjp-common-log-debuginfo-1.2.3-1.el5.x86_64.rpm
glite-lbjp-common-log-devel-1.2.3-1.el5.x86_64.rpm
glite-lbjp-common-maildir-2.2.3-1.el5.x86_64.rpm
glite-lbjp-common-maildir-debuginfo-2.2.3-1.el5.x86_64.rpm
glite-lbjp-common-maildir-devel-2.2.3-1.el5.x86_64.rpm
glite-lbjp-common-server-bones-2.2.4-1.el5.x86_64.rpm
glite-lbjp-common-server-bones-debuginfo-2.2.4-1.el5.x86_64.rpm
glite-lbjp-common-server-bones-devel-2.2.4-1.el5.x86_64.rpm
glite-lbjp-common-trio-2.2.5-1.el5.x86_64.rpm
glite-lbjp-common-trio-debuginfo-2.2.5-1.el5.x86_64.rpm
glite-lbjp-common-trio-devel-2.2.5-1.el5.x86_64.rpm
i386 Binaries
glite-jobid-api-c-2.1.3-1.el5.i386.rpm
glite-jobid-api-c-debuginfo-2.1.3-1.el5.i386.rpm
glite-jobid-api-c-devel-2.1.3-1.el5.i386.rpm
glite-jobid-api-cpp-debuginfo-1.2.1-1.el5.i386.rpm
glite-jobid-api-cpp-devel-1.2.1-1.el5.i386.rpm
glite-jobid-api-java-1.2.1-1.el5.noarch.rpm
glite-lb-client-5.1.9-1.el5.i386.rpm
glite-lb-client-debuginfo-5.1.9-1.el5.i386.rpm
glite-lb-client-devel-5.1.9-1.el5.i386.rpm
glite-lb-client-java-1.2.5-1.el5.i386.rpm
glite-lb-client-java-debuginfo-1.2.5-1.el5.i386.rpm
glite-lb-client-progs-5.1.9-1.el5.i386.rpm
glite-lb-common-8.1.7-1.el5.i386.rpm
glite-lb-common-debuginfo-8.1.7-1.el5.i386.rpm
glite-lb-common-devel-8.1.7-1.el5.i386.rpm
glite-lb-doc-1.3.8-1.el5.noarch.rpm
glite-lb-harvester-1.2.6-1.el5.i386.rpm
glite-lb-harvester-debuginfo-1.2.6-1.el5.i386.rpm
glite-lb-logger-2.3.9-1.el5.i386.rpm
glite-lb-logger-debuginfo-2.3.9-1.el5.i386.rpm
glite-lb-logger-devel-2.3.9-1.el5.i386.rpm
glite-lb-logger-msg-1.1.7-1.el5.i386.rpm
glite-lb-logger-msg-debuginfo-1.1.7-1.el5.i386.rpm
glite-lb-server-2.3.11-1.el5.i386.rpm
glite-lb-server-debuginfo-2.3.11-1.el5.i386.rpm
glite-lb-state-machine-1.3.7-1.el5.i386.rpm
glite-lb-state-machine-debuginfo-1.3.7-1.el5.i386.rpm
glite-lb-state-machine-devel-1.3.7-1.el5.i386.rpm
glite-lb-types-1.3.3-1.el5.noarch.rpm
glite-lb-utils-2.2.5-1.el5.i386.rpm
glite-lb-utils-debuginfo-2.2.5-1.el5.i386.rpm

glite-lb-ws-interface-3.3.3-1.el5.noarch.rpm
glite-lb-ws-test-1.3.4-1.el5.i386.rpm
glite-lb-ws-test-debuginfo-1.3.4-1.el5.i386.rpm
glite-lb-yaim-4.4.7-1.el5.noarch.rpm
glite-lbjp-common-db-3.1.5-1.el5.i386.rpm
glite-lbjp-common-db-debuginfo-3.1.5-1.el5.i386.rpm
glite-lbjp-common-db-devel-3.1.5-1.el5.i386.rpm
glite-lbjp-common-gsoap-plugin-3.1.5-1.el5.i386.rpm
glite-lbjp-common-gsoap-plugin-debuginfo-3.1.5-1.el5.i386.rpm
glite-lbjp-common-gsoap-plugin-devel-3.1.5-1.el5.i386.rpm
glite-lbjp-common-gss-3.1.9-1.el5.i386.rpm
glite-lbjp-common-gss-debuginfo-3.1.9-1.el5.i386.rpm
glite-lbjp-common-gss-devel-3.1.9-1.el5.i386.rpm
glite-lbjp-common-jp-interface-2.2.3-1.el5.i386.rpm
glite-lbjp-common-jp-interface-debuginfo-2.2.3-1.el5.i386.rpm
glite-lbjp-common-jp-interface-devel-2.2.3-1.el5.i386.rpm
glite-lbjp-common-log-1.2.3-1.el5.i386.rpm
glite-lbjp-common-log-debuginfo-1.2.3-1.el5.i386.rpm
glite-lbjp-common-log-devel-1.2.3-1.el5.i386.rpm
glite-lbjp-common-maildir-2.2.3-1.el5.i386.rpm
glite-lbjp-common-maildir-debuginfo-2.2.3-1.el5.i386.rpm
glite-lbjp-common-maildir-devel-2.2.3-1.el5.i386.rpm
glite-lbjp-common-server-bones-2.2.4-1.el5.i386.rpm
glite-lbjp-common-server-bones-debuginfo-2.2.4-1.el5.i386.rpm
glite-lbjp-common-server-bones-devel-2.2.4-1.el5.i386.rpm
glite-lbjp-common-trio-2.2.5-1.el5.i386.rpm
glite-lbjp-common-trio-debuginfo-2.2.5-1.el5.i386.rpm
glite-lbjp-common-trio-devel-2.2.5-1.el5.i386.rpm
Source RPM
glite-jobid-api-c-2.1.3-1.el5.src.rpm
glite-jobid-api-cpp-1.2.1-1.el5.src.rpm
glite-jobid-api-java-1.2.1-1.el5.src.rpm
glite-lb-client-5.1.9-1.el5.src.rpm
glite-lb-client-java-1.2.5-1.el5.src.rpm
glite-lb-common-8.1.7-1.el5.src.rpm
glite-lb-doc-1.3.8-1.el5.src.rpm
glite-lb-harvester-1.2.6-1.el5.src.rpm
glite-lb-logger-2.3.9-1.el5.src.rpm
glite-lb-logger-msg-1.1.7-1.el5.src.rpm
glite-lb-server-2.3.11-1.el5.src.rpm
glite-lb-state-machine-1.3.7-1.el5.src.rpm
glite-lb-types-1.3.3-1.el5.src.rpm
glite-lb-utils-2.2.5-1.el5.src.rpm
glite-lb-ws-interface-3.3.3-1.el5.src.rpm
glite-lb-ws-test-1.3.4-1.el5.src.rpm
glite-lb-yaim-4.4.7-1.el5.src.rpm
glite-lbjp-common-db-3.1.5-1.el5.src.rpm
glite-lbjp-common-gsoap-plugin-3.1.5-1.el5.src.rpm
glite-lbjp-common-gss-3.1.9-1.el5.src.rpm
glite-lbjp-common-jp-interface-2.2.3-1.el5.src.rpm

glite-lbjp-common-log-1.2.3-1.el5.src.rpm
glite-lbjp-common-maildir-2.2.3-1.el5.src.rpm
glite-lbjp-common-server-bones-2.2.4-1.el5.src.rpm
glite-lbjp-common-trio-2.2.5-1.el5.src.rpm
SL6
x86_64 Binaries
glite-jobid-api-c-2.1.3-1.el6.x86_64.rpm
glite-jobid-api-c-debuginfo-2.1.3-1.el6.x86_64.rpm
glite-jobid-api-c-devel-2.1.3-1.el6.x86_64.rpm
glite-jobid-api-cpp-debuginfo-1.2.1-1.el6.x86_64.rpm
glite-jobid-api-cpp-devel-1.2.1-1.el6.x86_64.rpm
glite-jobid-api-java-1.2.1-1.el6.noarch.rpm
glite-lb-client-5.1.9-1.el6.x86_64.rpm
glite-lb-client-debuginfo-5.1.9-1.el6.x86_64.rpm
glite-lb-client-devel-5.1.9-1.el6.x86_64.rpm
glite-lb-client-java-1.2.5-1.el6.x86_64.rpm
glite-lb-client-java-debuginfo-1.2.5-1.el6.x86_64.rpm
glite-lb-client-progs-5.1.9-1.el6.x86_64.rpm
glite-lb-common-8.1.7-1.el6.x86_64.rpm
glite-lb-common-debuginfo-8.1.7-1.el6.x86_64.rpm
glite-lb-common-devel-8.1.7-1.el6.x86_64.rpm
glite-lb-doc-1.3.8-1.el6.noarch.rpm
glite-lb-harvester-1.2.6-1.el6.x86_64.rpm
glite-lb-harvester-debuginfo-1.2.6-1.el6.x86_64.rpm
glite-lb-logger-2.3.9-1.el6.x86_64.rpm
glite-lb-logger-debuginfo-2.3.9-1.el6.x86_64.rpm
glite-lb-logger-devel-2.3.9-1.el6.x86_64.rpm
glite-lb-logger-msg-1.1.7-1.el6.x86_64.rpm
glite-lb-logger-msg-debuginfo-1.1.7-1.el6.x86_64.rpm
glite-lb-server-2.3.11-1.el6.x86_64.rpm
glite-lb-server-debuginfo-2.3.11-1.el6.x86_64.rpm
glite-lb-state-machine-1.3.7-1.el6.x86_64.rpm
glite-lb-state-machine-debuginfo-1.3.7-1.el6.x86_64.rpm
glite-lb-state-machine-devel-1.3.7-1.el6.x86_64.rpm
glite-lb-types-1.3.3-1.el6.noarch.rpm
glite-lb-utils-2.2.5-1.el6.x86_64.rpm
glite-lb-utils-debuginfo-2.2.5-1.el6.x86_64.rpm
glite-lb-ws-interface-3.3.3-1.el6.noarch.rpm
glite-lb-ws-test-1.3.4-1.el6.x86_64.rpm
glite-lb-ws-test-debuginfo-1.3.4-1.el6.x86_64.rpm
glite-lb-yaim-4.4.7-1.el6.noarch.rpm
glite-lbjp-common-db-3.1.5-1.el6.x86_64.rpm
glite-lbjp-common-db-debuginfo-3.1.5-1.el6.x86_64.rpm
glite-lbjp-common-db-devel-3.1.5-1.el6.x86_64.rpm
glite-lbjp-common-gsoap-plugin-3.1.5-1.el6.x86_64.rpm
glite-lbjp-common-gsoap-plugin-debuginfo-3.1.5-1.el6.x86_64.rpm
glite-lbjp-common-gsoap-plugin-devel-3.1.5-1.el6.x86_64.rpm
glite-lbjp-common-gss-3.1.9-1.el6.x86_64.rpm
glite-lbjp-common-gss-debuginfo-3.1.9-1.el6.x86_64.rpm
glite-lbjp-common-gss-devel-3.1.9-1.el6.x86_64.rpm

glite-lbjp-common-jp-interface-2.2.3-1.el6.x86_64.rpm
glite-lbjp-common-jp-interface-debuginfo-2.2.3-1.el6.x86_64.rpm
glite-lbjp-common-jp-interface-devel-2.2.3-1.el6.x86_64.rpm
glite-lbjp-common-log-1.2.3-1.el6.x86_64.rpm
glite-lbjp-common-log-debuginfo-1.2.3-1.el6.x86_64.rpm
glite-lbjp-common-log-devel-1.2.3-1.el6.x86_64.rpm
glite-lbjp-common-maildir-2.2.3-1.el6.x86_64.rpm
glite-lbjp-common-maildir-debuginfo-2.2.3-1.el6.x86_64.rpm
glite-lbjp-common-maildir-devel-2.2.3-1.el6.x86_64.rpm
glite-lbjp-common-server-bones-2.2.4-1.el6.x86_64.rpm
glite-lbjp-common-server-bones-debuginfo-2.2.4-1.el6.x86_64.rpm
glite-lbjp-common-server-bones-devel-2.2.4-1.el6.x86_64.rpm
glite-lbjp-common-trio-2.2.5-1.el6.x86_64.rpm
glite-lbjp-common-trio-debuginfo-2.2.5-1.el6.x86_64.rpm
glite-lbjp-common-trio-devel-2.2.5-1.el6.x86_64.rpm
Source RPM
glite-jobid-api-c-2.1.3-1.el6.src.rpm
glite-jobid-api-cpp-1.2.1-1.el6.src.rpm
glite-jobid-api-java-1.2.1-1.el6.src.rpm
glite-lb-client-5.1.9-1.el6.src.rpm
glite-lb-client-java-1.2.5-1.el6.src.rpm
glite-lb-common-8.1.7-1.el6.src.rpm
glite-lb-doc-1.3.8-1.el6.src.rpm
glite-lb-harvester-1.2.6-1.el6.src.rpm
glite-lb-logger-2.3.9-1.el6.src.rpm
glite-lb-logger-msg-1.1.7-1.el6.src.rpm
glite-lb-server-2.3.11-1.el6.src.rpm
glite-lb-state-machine-1.3.7-1.el6.src.rpm
glite-lb-types-1.3.3-1.el6.src.rpm
glite-lb-utils-2.2.5-1.el6.src.rpm
glite-lb-ws-interface-3.3.3-1.el6.src.rpm
glite-lb-ws-test-1.3.4-1.el6.src.rpm
glite-lb-yaim-4.4.7-1.el6.src.rpm
glite-lbjp-common-db-3.1.5-1.el6.src.rpm
glite-lbjp-common-gsoap-plugin-3.1.5-1.el6.src.rpm
glite-lbjp-common-gss-3.1.9-1.el6.src.rpm
glite-lbjp-common-jp-interface-2.2.3-1.el6.src.rpm
glite-lbjp-common-log-1.2.3-1.el6.src.rpm
glite-lbjp-common-maildir-2.2.3-1.el6.src.rpm
glite-lbjp-common-server-bones-2.2.4-1.el6.src.rpm
glite-lbjp-common-trio-2.2.5-1.el6.src.rpm

This topic: EMI > EMI2Update21

Topic revision: r5 - 2013-12-16 - DoinaCristinaAiftimiei



Copyright &© 2008-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback