

Table of Contents

Hydra Server: Installation.....	1
Introduction.....	1
Installation.....	1

Hydra Server: Installation

Introduction

The EMI Hydra service is the key fragment storage system. Therefore at least one Hydra service needs to be installed. This Hydra service needs at least as many Web Service instances as the maximum number of key fragments expected. This guide explains how to install the Hydra service.

Installation

For a Fedora-compatible operating system, the EPEL package repository needs to be enabled. Instructions on doing this may be found [here](#).

Install the EMI release package.

```
yum install yum-priorities yum-protectbase  
rpm -Uvh http://emisoft.web.cern.ch/emisoft/dist/EMI/2/sl6/x86_64/base/emi-release-2.0.0-1.sl6.no
```

The EGI Trust anchors .repo file is needed.

Then use the commands:

```
yum install emi-version
```

```
yum install glite-info-provider-service
```

```
yum install emi-hydra-service
```

```
yum install emi-yaim-hydra
```

* Debian: not applicable yet.

-- JohnWhite - 05-Jul-2012

This topic: EMI > HydraServerInstallation

Topic revision: r6 - 2012-10-01 - JohnWhite



Copyright &© 2008-2021 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.
or Ideas, requests, problems regarding TWiki? use [Discourse](#) or [Send feedback](#)