

Problems with the script

This covers problems with the `make-service.xh` script for versions prior to 26 May 2006.

It is suggested to take the latest version from the page [FtsServerServicesXml15](#).

MyProxy service information

The current version of the software looks for service type using a case-sensitive match. This causes problems with some information provider scripts which publish the service information into BDII. In particular, the MyProxy service type is put in a `myproxy` when it should be `MyProxy`. Until this is fixed in the script or the software, please amend the line:

```
<type>myproxy</type>
```

to

```
<type>MyProxy</type>
```

Duplicate service information

The current service discover library cannot handle duplicate service information. It causes all calls to the API fail.

Remove duplicate service entries from your generated file.

The procedure for this isn't pretty:

```
. /etc/profile.d/gliteenv.sh
export GLITE_SD_PLUGIN=file
glite-sd-query -t MyProxy
```

The command will fail claiming something like:

```
Parsing error in /opt/glite/etc/services.xml line 717 at 1: Duplicate service name
```

delete the service entry XML block at that line and repeat until you get the MyProxy information.

GOCDB site names

Until the case-sensitive matching bugfix is deployed in The GOCDB site-names should be upper case in both the `services.xml` file and the channel definitions.

-- GavinMcCance - 26 May 2006

This topic: [LCG > FtsServerServicesXml15Issues](#)

Topic revision: r2 - 2006-11-28 - unknown



Copyright &© 2008-2019 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback