

# Table of Contents

|  |   |
|--|---|
| Generic installation and configuration guide including YAIM 3.0.0..... | 1 |
| Introduction to Manual Installation and Configuration.....             | 2 |

# Generic installation and configuration guide including YAIM 3.0.0

**IMPORTANT NOTE:** This guide is not up to date. Better use the YAIM guide 3.1.1 with the latest information

# Introduction to Manual Installation and Configuration

This document is addressed to Site Administrators in charge of middleware installation and configuration. It is a generic guide to manual installation and configuration for any supported node types. It provides a fast method to install and configure the gLite middleware on the various node types (WN, UI, CE, SE ...) on the top of the following Linux distributions.

\* Scientific Linux 3.0

The proposed installation and configuration method is based on the Debian apt-get tool and on a set of shell scripts built within the yaim framework [2]. The provided scripts can be used by Site Administrators with no need for in-depth knowledge of specific middleware configuration details. three configuration files, according to provided examples. The resulting configuration is a default site configuration. Local customizations and tuning of the middleware, if needed, can then be done manually1.

-- Main.gdebrecz - 23 Nov 2006

---

This topic: LCG > YaimGuide300

Topic revision: r2 - 2007-08-10 - MariaALANDESPRADILLO



Copyright &© 2008-2019 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback