

# Table of Contents

<b>Data samples for tracking efficiencies.....</b>	<b>1</b>
J/psi method.....	1
Note about the 2010 data sample.....	1

# Data samples for tracking efficiencies

## J/psi method

	Velo efficiency	T station efficiency	Long track efficiency
Data2010, Reco08 Stripping14	35 pb-1	29 pb-1	29 pb-1
Data2011, Reco10, Stripping13b	339 pb-1	370 pb-1	340 pb-1
MC2010, Reco08 Stripping12, Sim01 Nu2,5, Inc J/psi (w/o prescale)	20 M	20 M	20 M

## Note about the 2010 data sample

Unfortunately the first 3-4 pb-1 (from August 2010) in Stripping 14 will not be processed. In this sample we expect to collect most of the Jpsi's due to the Hlt1SingleMuonNoIP trigger (which was not so heavily prescaled yet). This would give a factor of about 5 times more statistics compared to the current sample. The reason that these runs are not processed is that these early runs consists of many files which would cause the staging to interfere with the current productions.

-- JeroenVanTilburg - 08-Jul-2011

---

This topic: LHCb > TrackingEffDataSample  
Topic revision: r13 - 2018-01-15 - LuciaGrillo



Copyright &© 2008-2021 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.  
or Ideas, requests, problems regarding TWiki? use Discourse or Send feedback