

-- AlexeyBoldyrev - 2016-05-24

Four tops searches (SM and various BSM models) [Moriond 2016]

<https://twiki.cern.ch/twiki/bin/viewauth/AtlasProtected/FourTopsRun2>

Producing L2 Ntuples

Install TTHbbLeptonic

```
svn co svn+ssh://svn.cern.ch/repos/atlasinst/Institutes/UdineICTP/TTHNtupleAnalysis/trunk TTHNtupleAnalysis
svn co svn+ssh://svn.cern.ch/repos/atlasoff/PhysicsAnalysis/TopPhys/TopPhysUtils/TopDataPreparation/trunk TopDataPreparation
svn co svn+ssh://svn.cern.ch/repos/atlasoff/PhysicsAnalysis/TopPhys/xAOD/TopFakes/trunk TopFakes
svn co svn+ssh://svn.cern.ch/repos/atlasinst/Institutes/Goettingen/Matteo/FricoNN FricoNN
```

Install IFAERewightingTools

Usage:

```
./read --path ../Ntuples --sample ttbar --analysis TTHAnalysis --regions ge4jge2b,5j3b,ge6jge
```

This topic: [Main > AlexeyBoldyrevArchive](#)

Topic revision: r1 - 2016-05-24 - AlexeyBoldyrev



Copyright &© 2008-2019 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback