

So here it is:

- get in hand JobID
- login to volhcb23, sudo su - dirac
- mysql -uDirac -pPASSWORD RequestDB
- SELECT RequestID FROM Requests WHERE JobID = XXX;
- SELECT SubRequestID FROM SubRequests WHERE RequestType='transfer' AND Status = 'Waiting' AND RequestID = YYY;
- SELECT FileID FROM Files WHERE SubRequestID = ZZZ;
- UPDATE Channel SET Status = 'Waiting' WHERE Status = 'Failed' AND FileID = WWW;

For transformations this is a bit different, as you need to find requests by their names:

- login to volhcb23, sudo su - dirac
- mysql -uDirac -pPASSWORD RequestDB
- SELECT RequestID FROM Requests WHERE RequestName LIKE '%000XYZ\_000%' AND Status = 'Waiting';
- SELECT SubRequestID FROM SubRequests WHERE RequestID IN ( AAA, BBB, CCC ) AND RequestType = 'transfer' AND Status = 'Waiting';
- SELECT FileID from Files WHERE SUBRequestID IN ( EEE, FFF, GGG ) AND Status = 'Scheduled';
- UPDATE Channel SET Status = 'Waiting' WHERE Status in ( 'Failed', 'Executing' ) AND FileID IN ( HHH, III, JJJ);

And thats'a all.

---

This topic: [Main > RecoveringCompletedJobsWithPendingRequests](#)

Topic revision: r2 - 2013-02-18 - KrzysztofCiba



Copyright &© 2008-2019 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback