

LHCb Scanbook worklog

Contacts

ADC-DP: Miguel Anjo
Application: Joel Closier

Worklog

Miguel Anjo, 12/10/2005, wiki

- usernames: lhcb_scanbook (owner), lhcb_scanbook_r (see: <https://twiki.cern.ch/twiki/bin/view/ADCgroup/NamingConvention>)
- server: lhcb1-v.cern.ch or lhcb2-v.cern.ch
- service name: lhcb_scanbook.cern.ch
- tablespace: lhcb_scanbook_data01 (initial 1GB, next 1GB)
- Monitoring: 24/7
- Backups: every 10 minutes
- connect string:

```
LHCB_SCANBOOK =  
(DESCRIPTION =  
  (ADDRESS = (PROTOCOL = TCP) (HOST = lhcb1-v) (PORT = 1521))  
  (ADDRESS = (PROTOCOL = TCP) (HOST = lhcb2-v) (PORT = 1521))  
  (LOAD_BALANCE = yes)  
  (CONNECT_DATA =  
    (SERVER = DEDICATED)  
    (SERVICE_NAME = lhcb_scanbook.cern.ch)  
  )  
)
```

It's preferable to use the reader and writer account from your application. You will need to grant the read/write privileges to these accounts. The owner account has a maximum of 10 simultaneous connections and password expiration.

This topic: PSSGroup > LHCbScanbook

Topic revision: r4 - 2006-02-07 - PeterJones



Copyright &© 2008-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

or Ideas, requests, problems regarding TWiki? use Discourse or Send feedback