

Table of Contents

Oracle Streams configuration.....	1
Streams user and administrator PRIVILEGES.....	1
Streams USER PRIVILEGES (schema owner).....	1
Streams ADMINISTRATOR PRIVILEGES.....	1

Oracle Streams configuration

The document StreamsReplication_unidir.doc includes:

- an overview of replication using streams
- replication environment configuration
- scripts to join a database to the 3D replication testbed

The entry you should add to your tnsnames.ora file looks like:

```
RLS1R1.CERN.CH=
  (DESCRIPTION =
    (ADDRESS = (PROTOCOL = TCP) (HOST = lxshare084d.cern.ch) (PORT =1521))
    (CONNECT_DATA = (SID = rls1))
  )
```

Streams user and administrator PRIVILEGES

Streams USER PRIVILEGES (schema owner)

- connect, resource
- select_catalog_role (to look into data dictionary)
- create and drop public synonym
- exp_full_database and imp_full_database (to instantiate streams)

Streams ADMINISTRATOR PRIVILEGES

- dba privilege is a **requirement** (Oracle 10g)

This topic: PSSGroup > StreamsConfiguration

Topic revision: r11 - 2006-04-19 - EvaDafonte



Copyright &© 2008-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback