

Table of Contents


Persistency Web Preferences	1
Web Preferences Settings.....	1
Skin Settings.....	3
Help on Preferences.....	3
Related Topics.....	3
Tools.....	3

Persistency Web Preferences


The following settings are *web preferences* of the Persistency web. These preferences overwrite the *site-level preferences* in TWiki.TWikiPreferences and Main.TWikiPreferences, and can be overwritten by *user preferences* (your personal topic, eg: TWikiGuest in the Main web).

Web Preferences Settings

These settings override the defaults for this web only. See full list of defaults with explanation. Many of the settings below are commented out. Remove the # sign to enable a local customisation.

- ◆  Set WEBLOGOIMG =
 - ◆ Set WEBLOGOURL = <http://www.cern.ch>
 - ◆ Set WEBLOGOALT = CERN
- List of topics of the Persistency web:
 - ◆ #Set WEBTOPICLIST = Changes | Index | Search | Go

#D03333

- Web-specific background color: (Pick a lighter one of the StandardColors).
 - ◆ Set WEBBGCOLOR = #D03333
 - ◆ *Note:* This setting is automatically configured when you create a web
- Image, URL and alternate tooltip text of web's logo.
 - Note:* Don't add your own local logos to the TWikiLogos topic; create your own logos topic instead.
 - ◆ #Set WEBLOGOIMG =
 - ◆ #Set WEBLOGOURL = <http://www.cern.ch>
 - ◆ #Set WEBLOGOALT = CERN
- List this web in the SiteMap. If you want the web listed, then set SITEMAPLIST to on, do not set NOSEARCHALL, and add the "what" and "use to..." description for the site map. Use links that include the name of the web, i.e. Persistency.Topic links.
 - Note:* Unlike other variables, the setting of SITEMAPLIST is **not** inherited from parent webs. It has to be set in **every** web that is to be listed in the SiteMap
 - ◆ Set SITEMAPLIST = on
 - ◆ Set SITEMAPWHAT = LCG Persistency Framework (CORAL, COOL, POOL)
 - ◆ Set SITEMAPUSETO = collaborate on the Persistency Framework
 - ◆ *Note:* Above settings are automatically configured when you create a web

WebPreferences < Persistence < TWiki

- Exclude web from a `web="all"` search: (Set to on for hidden webs).
 - ◆ Set `NOSEARCHALL` =
 - ◆ *Note:* This setting is automatically configured when you create a web
- Prevent automatic linking of `WikiWords` and acronyms (if set to on); link `WikiWords` (if empty); can be overwritten by web preferences:
 - ◆ #Set `NOAUTOLINK` =
 - ◆ *Note:* You can still use the `[[...]][...]` syntax to link topics if you disabled `WikiWord` linking. The `<noautolink> ... </noautolink>` syntax can be used to prevent links within a block of text.
- Default template for **new topics** for this web:
 - ◆ `WebTopicEditTemplate`: Default template for new topics in this web. (Site-level is used if topic does not exist)
 - ◆ `TWiki.WebTopicEditTemplate`: Site-level default topic template
- Comma separated list of **forms** that can be attached to topics in this web. See `TWikiForms` for more information.
 - ◆ Set `WEBFORMS` =
- Users or groups who *are not* / *are* allowed to *view* / *change* / *rename* topics in the Persistence web: (See `TWikiAccessControl`).
 - ◆ Set `DENYWEBVIEW` =
 - ◆ Set `ALLOWWEBVIEW` =
 - ◆ Set `DENYWEBCHANGE` = `TWikiGuest`
 - ◆ Set `ALLOWWEBCHANGE` = `AndreaValassi, PersistenceGroup`
 - ◆ Set `DENYWEBRENAME` = `TWikiGuest`
 - ◆ Set `ALLOWWEBRENAME` = `AndreaValassi, PersistenceGroup`
- Users or groups allowed to change or rename this `WebPreferences` topic: (e. g., `TWikiAdminGroup`). [*NB: `ALLOWTOPICCHANGE` (in topic) overrides `ALLOWWEBCHANGE` (in WebPreferences)*]. See [TWikiAccessControl](#).]
 - ◆ Set `ALLOWTOPICCHANGE` = `PeterJones, RaffaelloTrentadue, AndreaValassi`
 - ◆ Set `ALLOWTOPICRENAME` = `PeterJones, RaffaelloTrentadue, AndreaValassi`
- Web preferences that are **not** allowed to be overridden by sub-web, user or topic preferences:
 - ◆ Set `FINALPREFERENCES` = `NOSEARCHALL, ATTACHFILESLIMIT, WIKIWEBMASTER, WEBCOPYRIGHT, WEBTOPICLIST, DENYWEBVIEW, ALLOWWEBVIEW, DENYWEBCHANGE, ALLOWWEBCHANGE, DENYWEBRENAME, ALLOWWEBRENAME`
- Interwiki Plugin settings: link rules topic name (default is `TWiki.InterWikis`) and label format (default is `$site:$page`)
 - ◆ Set `INTERWIKI_PLUGIN_RULESTOPIC` = `InterWikis, WebInterWikis`
 - ◆ Set `INTERWIKI_PLUGIN_INTERLINKFORMAT` = `$site-$page`

Skin Settings

- Custom overriding styles for PatternSkin (its three default .css files are described in PatternSkinCss):
 - ◆ Set USERLAYOUTURL =
/twiki/pub/Persistence/WebUtilities/widerleftbar18.css
 - ◆ Set USERSTYLEURL =
/twiki/pub/Persistence/WebUtilities/headers.css
 - ◆ Set USERCOLORSURL =


Help on Preferences

- A preference setting is defined by:
3 or 6 spaces * Set NAME = value
Example:
 - ◆ Set WEBBGOLOR = #FFFFC0
- A preferences setting can be disabled with a # sign. Remove the # sign to enable a local customisation. Example:
 - ◆ #Set DENYWEBCHANGE = UnknownUser
- Preferences are used as TWiki Variables by enclosing the name in percent signs. Example:
 - ◆ When you write variable %WEBBGOLOR%, it gets expanded to #D03333
- The sequential order of the preference settings is significant. Define preferences that use other preferences first, i.e. set WEBCOPYRIGHT before WIKIWEBMASTER since %WEBCOPYRIGHT% uses the %WIKIWEBMASTER% variable.
- You can introduce your own preferences variables and use them in your topics and templates.

Related Topics

- TWiki.TWiki Preferences, Min.TWiki Preferences - site-level preferences
- UserList - list of user topics. User topics can have optional user preferences
- TWiki Variables - list of common %VARIABLES%
- TWiki AccessControl - explains how to restrict access by users or groups

Tools

-  **Rename, move or delete this web:**
 - ◆ **Rename/move/delete web...**, looking for references in *all public webs*. See also: [Managing Webs](#)

This topic: Persistence > WebPreferences

Topic revision: r18 - 2016-04-22 - AndreaValassi



Copyright &© 2008-2019 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback