

F. Gerigk, S. Ramberger, R. Wegner, G. DeMichele , P. Tirado, M. Schuh, and R. De Prisco

## General

- THALES: New branch, offers integration works, possible option for test stand upgrade

## Linac4

- Meeting with THALES for Linac4 ceramic windows. Preliminary specs presented based on previous projects. Window length reduced from 1m to 40cm

## ESS

- Bilbao: New technique presented to close drift tube with a chemical bath, further studies are ongoing
- Visit test stand at CERN:
  - ◆ Support for stand upgrade
  - ◆ Test cavities at CERN

## DTL

- Drift tube prototype production delayed
- Exchange drift tube in hot prototype when new drift tube ready

## CCDTL

- Summary of visit at Novosibirsk is online

## Cavity conditioning software

- Test of code under various conditions before Easter
- Code has to be adjusted for not preconditioned cavities

## PIMS

- The different simulation results with HFSS/Microwave Studio vs Superfish/GdidL are understood (wrong setting for symmetry plane).
- Measurements and simulation data agree very well
- Measurements done with one remachined disk, good match with predicted values
- Only one tuning step will be needed, save one month on construction

## HOM

- Results presented at DPG Spring Meeting 2010 Bonn
- Started writing beam dynamic summary for a journal paper publication

-- MarcelSchuh - 29-Mar-2010

---

This topic: SPL > Minutes26March2010

Topic revision: r3 - 2010-03-29 - FrankGerigk



Copyright