

Table of Contents

Setting verbose mode.....	1
Files sourced by bash.....	1
Files sourced by tcsh.....	1

Setting verbose mode

```
mkdir ~/.hepix  
echo 100 >> ~/.hepix/verbose-level
```

Files sourced by bash

```
hepix: N: -> SOURCE /etc/hepix/sh/HEP/profile  
hepix: N: -> SOURCE /etc/hepix/sh/HEP/env  
hepix: N: -> SOURCE /etc/hepix/sh/CORE/pathtools  
hepix: N: -> SOURCE /etc/hepix/sh/CORE/pathtools.sh  
hepix: N: -> SOURCE /etc/hepix/sh/SITE/env  
hepix: N: -> SOURCE /etc/hepix/sh/HEP/rc  
hepix: N: -> SOURCE /etc/hepix/sh/SITE/rc  
hepix: N: -> SOURCE /etc/hepix/sh/HEP/bashrc  
hepix: N: -> SOURCE /etc/hepix/sh/SITE/bashrc  
hepix: N: -> SOURCE /opt/z5local/group_bashrc  
hepix: N: -> SOURCE /etc/hepix/sh/SITE/profile  
hepix: N: -> SOURCE /opt/z5local/group_login.sh
```

Files sourced by tcsh

```
hepix: N: -> SOURCE /etc/hepix/csh/HEP/csh.login  
hepix: N: -> SOURCE /etc/hepix/csh/HEP/csh.cshrc  
hepix: N: -> SOURCE /etc/hepix/csh/SITE/csh.cshrc  
hepix: N: -> SOURCE /etc/hepix/csh/HEP/tcshrc  
hepix: N: -> SOURCE /etc/hepix/csh/SITE/tcshrc  
hepix: N: -> SOURCE /opt/z5local/group_tcshrc  
hepix: N: -> SOURCE /etc/hepix/csh/SITE/csh.login  
hepix: N: -> SOURCE /opt/z5local/group_login.csh
```

This topic: [Sandbox](#) > [HepixScriptsWork](#)

Topic revision: r1 - 2012-01-25 - BenjaminCouturier



Copyright &© 2008-2021 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

or Ideas, requests, problems regarding TWiki? use [Discourse](#) or [Send feedback](#)