

TOTEM Web Preferences

The following settings are *web preferences* of the TOTEM web. These preferences overwrite the *site-level preferences* in TWikiPreferences, and can be overwritten by *user preferences* (your personal topic, eg: TWikiGuest in the Main web).

Preferences:

- List of topics of the TWiki.TOTEM web:
 - ◆ Set WEBTOPICLIST = Changes | Index | Search | Go
- Web specific background color: (Pick a lighter one of the StandardColors)
 - ◆ Set WEBBGCOLOR = #cc0000
- List this web in the SiteMap:
 - ◆ If yes, set SITEMAPLIST to `on`, do not set NOSEARCHALL, and add the "what" and "use to..." description for the site map. Make sure to list only links that include the name of the web, e.g. TOTEM.Topic links.


NB NB! IF you apply access restrictions, remove the "on" for the sitemap flag (SITEMAPLIST =)

- - ◆ Set SITEMAPLIST =
 - ◆ Set SITEMAPWHAT = TOTEM experiment at the CERN LHC
 - ◆ Set SITEMAPUSETO = ...collaborate on the TOTEM experiment at the CERN LHC
- Exclude web from a `web="all"` search: (Set to `on` for hidden webs)
 - ◆ Set NOSEARCHALL = `on`
- Prevent automatic linking of WikiWords and acronyms (if set to `on`); link WikiWords (if empty); can be overwritten by web preferences:
 - ◆ Set NOAUTOLINK =
 - ◆ **Note:** Use the `[[...]][...]` syntax to link topics in case you disabled WikiWord linking. The `<noautolink> ... </noautolink>` syntax can be used to prevent links within a block of text.
- Default template for new topics and form(s) for this web:
 - ◆ WebTopicEditTemplate: Default template for new topics in this web. (Site-level is used if topic does not exist)
 - ◆ TWiki.WebTopicEditTemplate: Site-level default template
 - ◆ TWikiForms: How to enable form(s)
 - ◆ Set WEBFORMS =
- Users or groups who *are not / are* allowed to *view / change / rename* topics in the TOTEM web: (See TWikiAccessControl)

NB NB NB: If you apply access restrictions, you MUST remove the web from the sitemap (see above)

- - ◆ Set DENYWEBVIEW =
 - ◆ Set ALLOWWEBVIEW =
 - ◆ Set DENYWEBCHANGE = TWikiGuest
 - ◆ Set ALLOWWEBCHANGE = TotemGroup totem-twiki-write
 - ◆ Set DENYWEBRENAME = TWikiGuest
 - ◆ Set ALLOWWEBRENAME = TotemGroup totem-twiki-write

WebPreferences < TOTEM < TWiki

- Users or groups allowed to change or rename this WebPreferences topic: (I.e. TWikiAdminGroup)
 - ◆ Set ALLOWTOPICCHANGE = ValentinaAvati, LeszekGrzanka, FernandoLucasRodriguez totem-twiki-admin
 - ◆ Set ALLOWTOPICRENAME = TWikiAdminGroup totem-twiki-admin
- Web preferences that are **not** allowed to be overridden by user preferences:
 - ◆ Set FINALPREFERENCES = NOSEARCHALL, ATTACHFILESIZELIMIT, WIKIWEBMASTER, WEBCOPYRIGHT, WEBTOPICLIST, DENYWEBVIEW, ALLOWWEBVIEW, DENYWEBCHANGE, ALLOWWEBCHANGE, DENYWEBRENAME, ALLOWWEBRENAME
- Logo settings
 - ◆  Set WIKILOGOIMG = 
 - ◆ Set WIKILOGOURL = WebHome
 - ◆ Set WIKILOGOALT = TOTEM twikiHOME
- - ◆ Set FAVICON = <https://twiki.cern.ch/twiki/pub/TOTEM/WebPreferences/favicon.ico>
- Style settings
 - ◆ Set WEBHEADERART =
 - ◆ Set WEBHEADERBGCOLOR = #ffffff
- - ◆ Set USERLAYOUTURL = <https://twiki.cern.ch/twiki/pub/TOTEM/WebPreferences/userlayout.css>
 - ◆ Set USERSTYLEURL = <https://twiki.cern.ch/twiki/pub/TOTEM/WebPreferences/userstyle.css>
 - ◆ Set USERCOLORSURL = <https://twiki.cern.ch/twiki/pub/TOTEM/WebPreferences/usercolors.css>
- Tables
 - ◆ Set TABLEATTRIBUTES = tableborder="0" cellpadding="1"

Notes:

- A preference is defined as:
6 spaces * Set NAME = value
Example:
 - ◆ Set WEBBGCOLOR = #FFFC0
- Preferences are used as TWikiVariables by enclosing the name in percent signs. Example:
 - ◆ When you write variable %WEBBGCOLOR% , it gets expanded to =#cc0000 = .
- The sequential order of the preference settings is significant. Define preferences that use other preferences first, i.e. set WEBCOPYRIGHT before WIKIWEBMASTER since %WEBCOPYRIGHT% uses the %WIKIWEBMASTER% variable.
- You can introduce new preferences variables and use them in your topics and templates. There is no need to change the TWiki engine (Perl scripts).

Related Topics:

- TWikiPreferences has site-level preferences.
 - TWikiUsers has a list of user topics. User topics can have optional user preferences.
 - TWikiVariables has a list of common %VARIABLES%.
 - TWikiAccessControl explains how to restrict access by users or groups.
-

This topic: TOTEM > WebPreferences

Topic revision: r44 - 2014-06-06 - LeszekGrzanka



Copyright &© 2008-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback