



Authentication and Authorization Infrastructure for Data Storage and Access

Version	Date	Author	Comment
0.1	2012/03/18	Maarten Litmaath	Initial version

Contents

Authentication and Authorization Infrastructure for Data Storage and Access.....	1
Abstract.....	4
Introduction.....	4
1. Status quo.....	4
2. Data protection.....	5
3. Issues with data ownership.....	5
4. Quotas.....	6
Conclusion.....	6

Abstract

In 2011 the WLCG Management Board mandated a set of Technical Evolution Groups (TEGs) to reassess the implementation and usage of the grid infrastructures that make up WLCG and document a strategy for technical evolution. Within the TEG on Security a working group was concerned with the Grid security aspects relevant to the storage and access of data.

Introduction

This document briefly describes the status quo concerning security in data storage and access, followed by reasons for and requirements on data protection. Next a number of issues related to data ownership are listed, followed by a brief overview of the area of quotas, to some extent related to security. Action items are listed in the conclusions.

1. Status quo

- SE and catalog configurations
 - Production data is protected against modification by unprivileged users
 - Some experiments prevent tape access by unprivileged users
 - User and group access is regulated by the experiment frameworks
 - Including quotas
 - An SE may be more permissive than desired → to be checked and fixed as needed
- Dealing with X509 overhead
 - Use bulk methods, sessions or trusted hosts as needed
 - Cheap, short-lived tokens may become desirable
- CASTOR still has backdoors for NS and RFIO → to be closed

2. Data protection

- Do different data classes need the same security model?
 - Custodial → highest security to protect against tampering
 - Cached → can be replaced, but can the security therefore be relaxed?
 - User → highest security to protect against tampering *and* reading by others
- Access audit trails are important for traceability
 - Both for security and performance investigations
- Protection is needed against:
 - Information leakage → not only the data itself, but also the file names matter
 - “Higgs-discovery.root”
 - Accidental commands
 - By default a user should not be able to impact someone else’s data
 - An analysis group should not be able to impact data of another group
 - Malicious attacks
 - Outsiders
 - Insiders
- Not only the data, but also the SE itself needs protection
 - Against illegal data
 - Against DoS

3. Issues with data ownership

- Missing concept: data owned by the VO or by a service
 - Use robot certificates for that?
- Mapping a person to/from a credential
 - Changes have consequences for data ownership
 - Certificate might indicate “formerly known as”
 - Make use of VOMS nicknames or generic attributes?
 - X509 vs. Kerberos access
- VO superuser concept desirable?
 - Avoid bothering SE admin for cleanups

4. Quotas

- Storage quotas
 - On the SE there may be a conflict with local replicas for performance/redundancy
 - Better handled by the experiment framework → current practice
 - Can still be useful to SE admin
 - Low priority, available on some SE types
- Quotas on other resources may be desirable to prevent DoS
 - Bandwidth
 - Connections

Conclusion

The following areas need attention:

1. Removal of backdoors from CASTOR
2. Checks of the actual permissions implemented by SEs
3. The issues with data ownership listed in Ch.3