

### 3 $\ell$ : OSOF pair and a $\tau_h$

$M_T$ (GeV)	$E_T^{\text{miss}}$ (GeV)	$M_{\ell\ell} < 100$ GeV		$M_{\ell\ell} > 100$ GeV	
		total bkg	observed	total bkg	observed
$> 160$	50 – 100	$6.7 \pm 3.2$	9	$1.9 \pm 0.9$	0
	100 – 150	$5.2 \pm 3.2$	8	$1.2 \pm 0.91$	1
	150 – 200	$0.42 \pm 0.3$	1	$0.33 \pm 0.39$	1
	$> 200$	$0.42 \pm 0.31$	1	$0.055 \pm 0.019$	0
120 – 160	50 – 100	$18 \pm 7$	21	$3.4 \pm 1.5$	1
	100 – 150	$6.7 \pm 3.6$	6	$0.54 \pm 0.41$	1
	150 – 200	$0.34 \pm 0.25$	1	$6.6\text{e-}05 \pm 7.5\text{e-}05$	0
	$> 200$	$0.025 \pm 0.012$	1	$0.23 \pm 0.24$	0
0 – 120	50 – 100	$114 \pm 36.5$	124	$12 \pm 4.9$	12
	100 – 150	$22 \pm 9.1$	28	$2.4 \pm 0.96$	3
	150 – 200	$4.3 \pm 2.1$	3	$1.1 \pm 0.77$	0
	$> 200$	$0.25 \pm 0.1$	1	$0.095 \pm 0.073$	0