

EUROPEAN MIDDLEWARE INITIATIVE

APEL PARSERS REFERENCE CARD

Document Version:	1.0.1
EMI Component Version:	1.1.0
Date:	18.05.2012

DOCUMENT CHANGE LOG

Version	Date	Comment	Author
1.0.1	18/05/2012	Added funding notice	Will Rogers
1.0.0	07/04/2011	First version	Cristina del Cano Novales

Copyright notice:

Copyright (c) Members of the EMI Collaboration. 2012.

See <http://www.eu-emi.eu/about/Partners/> for details on the copyright holders.

EMI ("European Middleware Initiative") is a project partially funded by the European Commission. For more information on the project, its partners and contributors please see <http://www.eu-emi.eu>.

This document is released under the Open Access license. You are permitted to copy and distribute verbatim copies of this document containing this copyright notice, but modifying this document is not allowed. You are permitted to copy this document in whole or in part into other documents if you attach the following reference to the copied elements: "Copyright (C) 2012. Members of the EMI Collaboration. <http://www.eu-emi.eu>".

The information contained in this document represents the views of EMI as of the date they are published. EMI does not guarantee that any information contained herein is error-free, or up to date.

EMI MAKES NO WARRANTIES, EXPRESS, IMPLIED, OR STATUTORY, BY PUBLISHING THIS DOCUMENT.

1. DAEMONS RUNNING

None. APEL parser runs as a cron job.

2. INIT SCRIPTS AND OPTIONS

None. APEL parser runs as a cron job.

3. CONFIGURATION FILES

The configuration file for the APEL parser is located in `/etc/glite-apel-batchsystem/parser-config-yaim.xml`.

This file configures database access details, log files location and the mode of operation.

This file is created by YAIM during configuration.

4. LOG FILES

Logging for the APEL parser is done in `/var/log/apel.log`.

5. OPEN PORTS

No ports need to be open for incoming connections.

6. UNIT TESTING

Not currently available.

7. SERVICE STATE

There is no service state associated with APEL publisher.

8. CRON JOBS

The cron job for the APEL publisher can be found in `/etc/cron.d/apel-batchsystem-log-parser`.

This file is created by YAIM during configuration.

9. SECURITY INFORMATION

None.



10. UTILITY SCRIPTS

Not available.